

In the Claims:

Please amend claim 23, cancel claim 31, without prejudice, and add new claim 37 as follows:

1-22. (Canceled)

23. (Currently Amended) A liquid crystal display configured to enclose liquid crystal comprising:

a thin film transistor substrate including a first substrate, a plurality of bus lines formed on the first substrate such that they intersect each other, pixel regions defined by the bus lines, a thin film transistor formed in each of the pixel regions, a resin color filter layer formed of a plurality of different color layers and in each of the pixel regions, and a pixel electrode formed in each of the pixel regions;

a common electrode substrate including a second substrate and a common electrode formed on the second substrate, the common electrode substrate being provided in a face-to-face relationship with the first substrate;

a liquid crystal sealed between the thin film transistor substrate and the common electrode substrate; and

a columnar spacer having laminated resin layers including the resin color filter layer and a second resin layer made of photosensitive acrylic resin, both the second resin layer and each of the different color layers being configured to be in contact with

the liquid crystal, for maintaining a cell gap between the thin film transistor substrate and the common electrode substrate,

wherein at least surfaces of the bus lines facing the first substrate are formed from a low reflection material.

24. (Canceled)

25. (Previously Presented) A liquid crystal display according to claim 23, wherein the second substrate is lighter in weight than the first substrate.

26. (Original) A liquid crystal display according to claim 23, wherein the second substrate is formed from a glass material including alkaline components.

27. (Original) A liquid crystal display according to claim 26, wherein the glass material includes 1 % or more alkaline components.

28. (Original) A liquid crystal display according to claim 23, wherein the second substrate is formed from a resin material.

29-31. (Canceled)

32. (Previously Presented) A liquid crystal display according to claim 23, wherein at least surfaces of a drain electrode and a source electrode of the thin film transistor facing the first substrate are formed from a low reflection material.

33. (Previously Presented) A liquid crystal display according to claim 23, wherein the second substrate has a thickness smaller than that of the first substrate.

34. (Previously Presented) A liquid crystal display according to claim 23, wherein the thin film transistor substrate is located adjacent to a display side.

35. (Previously Presented) A liquid crystal display configured to enclose liquid crystal according to claim 23,

wherein the resin layer made of photosensitive acrylic resin has a width that is approximately equal to a width of the resin color filter layer.

36. (Previously Presented) A liquid crystal display configured to enclose liquid crystal according to claim 23,

further comprising an alignment regulating structure for regulating the alignment of the liquid crystal,

wherein the resin layer made of photosensitive acrylic resin is made from a same material as the alignment regulating structure.

37. (New) A liquid crystal display according to claim 23, wherein one of the plurality of bus lines is located directly below the columnar spacer.